

DK-type (*drehkipp*) windows or so called tilt& turn know as german type of windows

DK: one sash opening window

DKS: two sash opening windows

DKZ : three sash opening window

DKT: one sash opening balcony door


DKST: two sash opening balcony door

FF: firm DK-type window non -opening sash




DKZ window with "Body" glazing bars


DK




DKS




DKZ





DKT



DKST



1. DK cross-cut



2. Product introductions

2.1. Wooden parts

Wooden parts are specially selected northern pine made with right grain directions. Sashes and frames look nice and perform high durability. Glazing moulding are also knotless pine made and fixed with hidden nailing. No finger jointed wood is used by DK wooden windows and doors.

2.2. Glazing

Standard sealed unit is: 2K 4-15 Ar -4SN, U value: 1,2 W/m²K, 12x12 window U_w 1,4W/m²K
There is also possible triple glazing such as: 3K 4SN -10-4-10Ar-4SN with U_{value} 1,0W/m²K
For better UV protection: 3K 4(antisun)-10-4-10Ar-4SN; U_{value}: 0,9 W/m²K
All sealed units are not glued to the sash to keep them possible to repair in the future.
We are able to offer all different glazing possibilities by Pilkington.
Pls see more regarding glazing possibilities in website: www.pilkington.com

2.3. Sealings

Between glass and wooden parts is used special UV-resistant silicone.
Between window sash and frames is used double sealings.
Between tenon joint is used glue and silicone.

2.4 Finishing

There is three different possibilities for finishing.

2.4.1. Non finished. Product is impregnated against stain. Client will make the final finishing.

2.4.2. Full covered painting.

2.4.2. Painted with lacquer + stain - the surface of the wood will be visible.

That type of finishing is the most expensive, but gives the best result.

You can choose your colour solution: www.tikkurila.com or www.geveko.fi

2.5. Fittings

2.5.1. All fittings from Siegenia www.siegenia.com

2.5.2. Handholds from Hoppe www.hoppe.com

2.6. Accessories

2.6.1. Ribbed curtains

2.6.2. Knotless pine made removable glazing bars

2.6.3. Inside sealed unit metal and plastic glazing bars

2.6.4. Body glazing bars

2.6.4. Pet-cocks

2.6.5. Mosquito nets

2.6.6.. Reveal for log houses

2.6.7. Northern pine made sills

3. DK -windows general info and quality control

DK- products meet all EN standard requirements.

Factory is having continuous contract with VTT for quality control.

The number of the noted contract is: Dnro.1820/20/01/RTE.

For more info regarding technical issues please send e-mail:

ivo@kenover.ee

4. The sizes of DK products in mm scale

